

Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	-	Page 1 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes April 2018

SAFETY DATA SHEET

CAMEO SX TRIBENURON-METHYL 50SG

Revision: Sections containing a revision or new information are marked with a .

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Thyborønvej 78 DK-7673 Harboøre Denmark

SDS.Ronland@fmc.com

1.4. Emergency telephone number

Medical emergencies:

Austria: +43 1 406 43 43 Luxembourg: +352 8002 5500

Belgium: +32 70 245 245 Netherlands: +31 30 274 88 88

Bulgaria: +359 2 9154 409 Norway: +47 22 591300

Cyprus: 1401 Poland: +48 22 619 66 54

Cyprus: 1401 Poland: +48 22 619 66 54 Czech Republic: +420 224 919 293 +48 22 619 08 97

+420 224 915 402 Portugal: 808 250 143 (in Portugal only)

Denmark: +45 82 12 12 12 +351 21 330 3284
England and Wales: 111 Romania: +40 21318 3606
Estonia: +372 7943500 Scotland: +8454 24 24 24
France: +33 (0) 1 45 42 59 59 Slovakia: +421 2 54 77 4 166
Finland: +358 9 471 977 Slovenia: +386 41 650 500

Greece: 30 210 77 93 777 South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.)

Hungary: +36 80 20 11 99 Spain: +34 91 562 04 20 Ireland (Republic): +353 1 837 9964 Sweden: +46 08-331231

Italy: +39 02 6610 1029 112 Latvia: +371 670 42 473 Switzerland: 145 112 Turkey: 114

Lithuania: +370 523 62052 U.S.A. & Canada: +1 800 / 331 3148 +370 687 53378 All other countries: +1 651 / 632 6793 (Collect)



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	=	Page 2 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

For fire, leak, spill or other accident emergencies:

U.S.A.: +1 800 / 424 9300 (CHEMTREC) All other countries: +1 703 / 527 3887 (CHEMTREC - Collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. **Classification of the substance or** Sensitisation – skin: Category 1B (H317)

Hazards to the aquatic environment, acute: Category 1 (H400)

chronic: Category 1 (H410)

Health hazards The product has a weak potential to cause allergic sensitisation.

2.2. Label elements

mixture

According to EU Reg. 1272/2008 as amended

Contains tribenuron-methyl

Hazard pictograms (GHS07, GHS09)





Signal word Warning

Hazard statements

H317 May cause an allergic skin reaction.

Supplementary hazard statement

EUH401 To avoid risks to human health and the environment, comply with the

instructions of use.

Precautionary statements

P261 Avoid breathing dust or vapours.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

or vPvB.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	-	Page 3 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

SE	ECTION 3: COMPOSITION/INFORM	MATION O	N INGREDIEN	NTS	
3.1.	Substances	The produ	ict is a mixture,	not a substance.	
3.2.	Mixtures	See section	n 16 for full text	t of hazard stater	ments.
	Active ingredient				
	Tribenuron-methyl	Content: 5	50% by weight		
	CAS name	Benzoic acid, 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)methyl-amino]carbonyl]amino]sulfonyl]-, methyl ester			
	CAS no.	101200-48-0 Methyl 2-[4-methoxy-6-methyl-1,3,5-triazin-2-yl(methyl)carbamoyl-sulfamoyl]benzoate			
	IUPAC name				
	ISO name/EU name	Tribenuro			
	EC no. (ELINCS no.)	401-190-1			
	EU index no.	In 1st ame	nendment to Dir.		
	Molecular weight	395.4			
	Classification of the ingredient		itisation: Catego the aquatic env	rironment, acute	: Category 1 (H400) ic: Category 1 (H410)
	Reportable ingredients	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
	Trisodium phosphate Reg. no. 01-2119489800-32	10 - 20		231-509-8	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
	Sodium carbonate Reg. no. 01-2119485498-19	5 - 10	497-19-8	207-838-8	Eye Irrit. 2 (H319)
	Lignin, alkali, reaction products with disodium sulphite and formaldehyde	1	105859-97-0	None	Eye Irrit. 2 (H319)
ECT	TION 4: FIRST AID MEASURES				
↓ .1.	Description of first aid measures				
	Inhalation	Light case immediate	es: Keep person	under surveilland develop. Serious	ely remove from exposure ce. Get medical attention cases: Get medical ance.
	Skin contact	. Immediately remove contaminated clothing and footwear. Flu with water. Wash with water and soap. See physician if any sydevelops.		_	
	Eye contact				r eyewash solution, lence of chemical remains



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 4 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Remove contact lenses after a few minutes and rinse again. See physician if irritation persists. Inducing vomiting is not recommended. Rinse mouth and drink water Ingestion or milk. If vomiting does occur, rinse mouth and drink fluids again. Call a doctor or get medical attention immediately. 4.2. Most important symptoms and Possibly allergic reactions. effects, both acute and delayed 4.3. Indication of any immediate Immediate medical attention is required in case of ingestion medical attention and special treatment needed It may be helpful to show this safety data sheet to physician. A specific antidote against this substance is not known. Gastric lavage Note to physician and/or administration of activated charcoal can be considered. After decontamination, treatment is supportive and symptomatic. Possible mucosal damage may contraindicate the use of gastric lavage. SECTION 5: FIRE-FIGHTING MEASURES 5.1. Extinguishing media Dry chemical or carbon dioxide for small fires, water spray or foam

for large fires. Avoid heavy hose streams.

5.2. Special hazards arising from the substance or mixture

The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, sulphur dioxide, carbon monoxide and carbon dioxide.

5.3. Advice for firefighters

Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear selfcontained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

- 1. use personal protection equipment; see section 8
- 2. call emergency telephone no.; see section 1
- 3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 5 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Stop the source of the spill immediately if safe to do so. Reduce and avoid formation of airborne dust as much as possible, if appropriate by moistening. Remove sources of ignition.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Surface water drains should be covered if appropriate. Minor spills on the floor or other impervious surface should immediately be swept up or preferably vacuumed up using equipment with high efficiency final filter. Transfer to suitable containers. Clean area with strong industrial detergent and much water. Absorb wash liquid onto inert absorbent such as universal binder, Fuller's earth, bentonite or other absorbent clay and collect in suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See subsection 8.2. for personal protection. See section 13 for disposal.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

In an industrial environment, it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Avoid contact with eyes, skin or clothing. Avoid breathing dust or spray mist.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 6 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after each use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage.

Keep in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. **Specific end use(s)**

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

observed.

Tribenuron-methyl

EFSA has established an AOEL of 0.05 mg/kg bw/day

PNEC, aquatic environment 0.10 μg/l

Trisodium phosphate

DNEL, inhalation, systemic 4.07 mg/m³

PNEC, aquatic environment No hazard identified

Sodium carbonate

8.2. **Exposure controls** When used in a closed system, personal protection equipment will not



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 7 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection equipment may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

The product does not automatically present an airborne exposure concern during normal handling, but in the event of an accidental discharge of the material which produces a heavy vapour or dust, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or viton. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection.



Eye protection

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance Light brown solid (granular)

Odour Mild

Odour threshold Not determined



Thyborønvej 78 DK-7673 Harboøre

Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group		Page 8 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Flammability (solid/gas) Not highly flammable

Upper/lower flammability or

explosive limits Not determined

Bulk density, packed: 0.640 g/cm³

Solubility(ies) Solubility of **tribenuron-methyl** in:

 $\begin{array}{ccc} \text{acetone} & 43.8 & \text{g/l} \\ \text{hexane} & 0.028 & \text{g/l} \end{array}$

water 28 mg/l at pH 4 and 25°C 50 mg/l at pH 5 and 25°C 280 mg/l at pH 6 and 25°C

2040 mg/l at pH 7 and 20°C

Partition coefficient n-octanol/water Tribenuron-methyl : $\log K_{ow} = 2.3$ at pH 1.5

$$\label{eq:Kow} \begin{split} \log K_{ow} &= 2.25 \text{ at pH } 4.0 \\ \log K_{ow} &= 2.0 \text{ at pH } 5.0 \\ \log K_{ow} &= 1.25 \text{ at pH } 6.0 \\ \log K_{ow} &= -0.44 \text{ at pH } 7.0 \end{split}$$

Autoignition temperature Not determined

Decomposition temperature **Tribenuron-methyl** : approx. 175°C

9.2. Other information

Miscibility The product is dispersible in water.

SECTION 10: STABILITY AND REACTIVITY

temperatures.

10.3. **Possibility of hazardous reactions** None known.

10.4. **Conditions to avoid** Heating of the product may evolve harmful and irritant vapours.

10.5. **Incompatible materials** None known.

10.6. **Hazardous decomposition products** See subsection 5.2.

♣ SECTION 11: TOXICOLOGICAL INFORMATION

11.1. **Information on toxicological effects** *= Based on available data, the classification criteria are not met.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 9 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Product Acute toxicity		The product is not harmful by inhalation, in contact with skin or if swallowed. * However, it should always be treated with the usual care of handling chemicals. The acute toxicity is measured on the product
Route(s) of entry	- ingestion	as: LD_{50} , oral, rat: $> 5000 \text{ mg/kg}$
	- skin	LD_{50} , dermal, rat: $> 2000 \text{ mg/kg}$ (method OECD 402)
	- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritat	ion	Not irritating to skin (method OECD 404). *
Serious eye damage/	irritation	Not irritating to eyes (method OECD 405). *
Respiratory or skin s	ensitisation	Weakly sensitising to skin (method OECD 406).
Germ cell mutagenic	ity	The product contains no ingredients known to be mutagenic. *
Carcinogenicity		The product contains no ingredients known to be carcinogenic. *
Reproductive toxicit	y	The product contains no ingredients found to have adverse effects on reproduction. *
STOT – single expos	sure	To our knowledge, no specific effects have been observed after single exposure. *
STOT – repeated exp	posure	The following has been measured on the active ingredient tribenuron-methyl: Target organ: no specific target organ LOEL: 80 mg/kg bw/day in a rabbit developmental study based on increased mortality.
Aspiration hazard		The product contains no ingredients known to present an aspiration pneumonia hazard. *
Symptoms and effect delayed	ts, acute and	Possibly allergic reactions. To our knowledge, adverse effects in humans have not been reported. The product is not expected to cause severe adverse effects to health, but adverse health effects cannot be excluded in case of massive exposure.
<u>Tribenuron-methyl</u> Toxicokinetics, meta distribution		Tribenuron-methyl is rapidly absorbed after oral intake, widely distributed in the body and extensively metabolised. Excretion is rapid, within a few days. No indication of bioaccumulation is found.
Acute toxicity		The substance is not harmful by inhalation, in contact with skin or if swallowed. * The acute toxicity is measured as:
Route(s) of entry	- ingestion	LD_{50} , oral, rat: > 5000 mg/kg (method OECD 425)
(-, 01 0111)	0-34444	55, 1.55, 1 2 555 1 (1 1 5 5 5 5 1 1 5



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com

CVR No. DK 12 76 00 43

Material group	-	Page 10 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

- skin LD_{50} , dermal, rat: > 5000 mg/kg (method OECD 402) - inhalation LC₅₀, inhalation, rat: > 5.14 mg/l/4 h (method OECD 403) Skin corrosion/irritation May cause mild, transient irritation to skin (method OECD 404). * Serious eye damage/irritation May cause mild, transient irritation to eyes (method OECD 405). * The substance was found to be a weak sensitizer in guinea pigs Respiratory or skin sensitisation ... (method OECD 406). It was not sensitising in the Local Lymph Node Assay (method OECD 429). *Trisodium phosphate* Toxicokinetics, metabolism and Both sodium and phosphate ions are essential body constituents and are regulated within narrow ranges. These ranges will not be distribution exceeded, except locally in unusual situations such as accidents. Generally, a high phosphate diet is not considered healthy, but this is not relevant for circumstances at the workplace. The substance is not considered as harmful by single exposure. * Acute toxicity LD_{50} , oral, rat: > 2000 mg/kg (method OECD 420) Route(s) of entry - ingestion - skin LD_{50} , dermal, rat: > 2000 mg/kg(measured on a comparable substance, method OECD 402) - inhalation LC₅₀, inhalation, rat: > 0.83 mg/l/4 h (measured on a comparable substance, method OECD 403) Skin corrosion/irritation Results of animal tests indicate that the substance is not irritating to skin. Serious eye damage/irritation Irritating to eyes (method EPA OTS 798.4500). Respiratory or skin sensitisation ... Not sensitising (method OECD 429). * Sodium carbonate Toxicokinetics, metabolism and Both sodium and carbonate ions are normal constituents in the body distribution and regulated between narrow ranges. These ranges will not be exceeded, except locally in unusual situations such as accidents. Acute toxicity The substance is not considered to be harmful by ingestion, inhalation or in contact with skin. * Route(s) of entry - ingestion LD₅₀, oral, rat: 2800 mg/kg - skin LD₅₀, dermal, rabbit: > 2000 mg/kg - inhalation LC₅₀, inhalation, rat: not available

Not irritating to skin (method OECD 404). *

Skin corrosion/irritation



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com

CVR	No.	DK	12	76	00	43

M	aterial group		Page 11 of 14
Pr	oduct name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

Serious eye damage/irritation Several tests have been performed with varying results. The weight of

evidence is that the substance is irritating to eyes.

Respiratory or skin sensitisation ... To our knowledge, no indications of allergenic effects have been

reported. *

Lignin, alkali, reaction products with disodium sulphite and formaldehyde

Acute toxicity The substance is not considered harmful by single exposure. *

 $Route(s) \ of \ entry \qquad \ -ingestion \qquad LD_{50}, \ oral, \ rat: > 10\ 000\ mg/kg$

- skin LD₅₀, dermal, rat: not available

- inhalation LC_{50} , inhalation, rat: > 0.48 mg/l/4 h

Skin corrosion/irritation Not irritating to skin. *

Serious eye damage/irritation May cause eye irritation.

Respiratory or skin sensitisation ... Not a skin sensitizer. *

SECTION 12: ECOLOGICAL INFORMATION

toxic to fish, aquatic invertebrates, soil micro- and macroorganisms,

birds, mammals and insects.

The ecotoxicity of the product is measured as:

12.2. **Persistence and degradability** **Tribenuron-methyl** is not persistent in the environment.

Primary degradation half-lives vary with circumstances, from a few days to a few weeks in aerobic water and soil. Its metabolites are

considered as persistent.

The product contains minor amounts of not readily biodegradable ingredients, which may not be degradable in waste water treatment

plants.

12.3. **Bioaccumulative potential** See section 9 for n-octanol/water partition coefficients.

Due to its relatively high solubility in water, **tribenuron-methyl** does

not bioaccumulate.

intermediate mobility in soil.



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	Ŧ	Page 12 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.

Disposal of waste and packagings must always be in accordance with all applicable local regulations.

possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with

flue gas scrubbing.

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

It is recommended to consider possible ways of disposal in the following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.

- 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
- 3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
- 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

SECTION 14: TRANSPORT INFORMATION

Disposal of packaging

ADR/RID/IMDG/IATA/ICAO classification

14.2. **UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (tribenuron-

methyl)

14.3. Transport hazard class(es) 9



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com

CVR No.	DK 1	12 7	6 00	43
---------	------	------	------	----

Material group	-	Page 13 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

14.4. **Packing group** III

14.5. Environmental hazards Marine pollutant

14.6. **Special precautions for user** Avoid any unnecessary contact with the product. Misuse can result in

damage to health. Do not discharge to the environment.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC code The product is not transported in bulk by ship.

♣ SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category (Dir. 2012/18/EU): dangerous for the environment.

Young people under the age of 18 are not allowed to work with the

product.

All ingredients are covered by EU chemical legislation.

15.2. Chemical safety assessment

A chemical safety assessment is not required to be included for this

product.

SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet Minor corrections only.

List of abbreviations AOEL Acceptable Operator Exposure Level

CAS Chemical Abstracts Service

Dir. Directive

DNEL Derived No Effect Level EC European Community EC₅₀ 50% Effect Concentration

E_rC₅₀ 50% Effect Concentration based on growth

EFSA European Food Safety Authority

EINECS European INventory of Existing Commercial Chemical

Substances

ELINCS European LIst of Notified Chemical Substances

EPA OTS Office of Technology Solutions, Environmental Protection

Agency, US

GHS Globally Harmonized classification and labelling System of

chemicals, Fifth revised edition 2013

IBC International Bulk Chemical code

ISO International Organisation for Standardization IUPAC International Union of Pure and Applied Chemistry

LC₅₀ 50% Lethal Concentration

LD₅₀ 50% Lethal Dose

LOEL Lowest Observed Effect Level



Thyborønvej 78 DK-7673 Harboøre Denmark +45 9690 9690 www.fmc.com CVR No. DK 12 76 00 43

Material group	-	Page 14 of 14
Product name	CAMEO SX TRIBENURON-METHYL 50SG	February 2019

	MARPOL Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution NOEC No Observed Effect Concentration n.o.s. Not otherwise specified OECD Organisation for Economic Cooperation and Development PBT Persistent, Bioaccumulative, Toxic PNEC Predicted No Effect Concentration Reg. Regulation SG Water Soluble Granules STOT Specific Target Organ Toxicity TWA Time Weighted Average vPvB very Persistent, very Bioaccumulative WHO World Health Organisation
References	Data measured on the product are unpublished company data. Data on ingredients are available from published literature and can be found several places.
Method for classification	Test data
Used hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH401 To avoid risks to human health and the environment, comply with the instructions of use.
Advice on training	This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB