

Material group	_	Page 1 of 15
Product name	MOZIAC SX DPX-E8698 44SG	
		August 2018
Safety data sheet according to EU Reg. 1907/2006 as amended Supersedes February 2018		

SAFETY DATA SHEET

MOZIAC SX DPX-E8698 44SG

Revision: Sections containing a revision or new information are marked with a .

♦ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1.	Product identifier	MOZIAC SX DPX-E8698 44SG
1.2.	Relevant identified uses of the substance or mixture and uses advised against	Can be used as herbicide only.
13	Details of the supplier of the safety	CHEMINOVA A/S , a subsidiary of FMC Corporation
1.5.	data sheet	Thyborønvej 78
		DK-7673 Harboøre
		Denmark
		SDS.Ronland@fmc.com
1.4.	Emergency telephone number	
	Medical emergencies:	
	Austria: +43 1 406 43 43	Norway: +47 22 591300
	Belgium: +32 70 245 245	Poland: +48 22 619 66 54
	Bulgaria: +359 2 9154 409	+48 22 619 08 97
	Cyprus: 1401	Portugal: 808 250 143 (in Portugal only)
	Czech Republic: +420 224 919 293	+351 21 330 3284
	+420 224 915 402	Romania: +40 21318 3606
	Denmark: +45 82 12 12 12	Scotland: +8454 24 24 24
	England and Wales: 111	Slovakia: +421 2 54 77 4 166
	France: +33 (0) 1 45 42 59 59	Slovenia: +386 41 650 500
	Finland: +358 9 471 977	South Africa: +27 83 123 3911 (Bateleur Emergency Response Co.)
	Greece: 30 210 77 93 777	Spain: +34 91 562 04 20
	Hungary: +36 80 20 11 99	Sweden: +46 08-331231
	Ireland (Republic): +353 1 837 9964	112
	Italy: +39 02 6610 1029	Switzerland: 145
	Lithuania: +370 523 62052	Turkey: 114
	+370 687 53378	U.S.A. & Canada: +1 800 / 331 3148 (ProPharma)
	Luxembourg: +352 8002 5500	All other countries: +1 651 / 632 6793 (ProPharma - Collect)
	Netherlands: +31 30 274 88 88	



Material group	-	Page 2 of 15
	MOZIAC SX DPX-E8698 44SG	August 2018

For fire, leak, spill or other accident emergencies:

U.S.A.: +1 800 / 424 9300 (CHEMTREC) Dialling from the UK and NI: 0870 820 0418 (CHEMTREC - Collect) Dialling from Ireland: 01 901 4670 (CHEMTREC - Collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1.	Classification of the substance or mixture	Hazards to the aquatic environment, acute: Category 1 (H400) chronic: Category 1 (H410)
	WHO classification	Class U (unlikely to present acute hazard in normal use).
	Health hazards	The product is not expected to cause severe adverse effects to health.
	Environmental hazards	The product is expected to be toxic to most plants.

2.2. Label elements

According to EU Reg. 1272/2008	as amended
Product identifier	MOZIAC SX
	DPX-E8698 44SG

Hazard pictogram (GHS09)



	Signal word	Warning
	Hazard statement	
	H410	Very toxic to aquatic life with long lasting effects.
	Supplementary hazard statement	
	EUH401	To avoid risks to human health and the environment, comply with the instructions of use.
	Precautionary statements	
	P273	Avoid release to the environment.
	P391	Collect spillage.
	P501	Dispose of contents/container as hazardous waste.
2.3.	Other hazards	None of the ingredients in the product meets the criteria for being PBT or vPvB.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances The pro-	oduct is a mixture, not a substance.
--------------------------	--------------------------------------



Mater	al group	_				Page 3 of 15
Produ	ct name	MOZIAC SX				
		DPX-E8698 44SG				
						August 2018
3.2.	Mixtur	es	See sectio	n 16 for full tex	kt of hazard state	ments.
		ingredients	G			
		ulfuron-methyl		40% by weight		
	CAS na	me				noxy-6-methyl-1,3,5-triazin-
	~ . ~				no]sulfonyl]-, me	ethyl ester
		• • • • • • • • • • • • • • • • • • • •	79277-27		1 1 1 0 7	
	IUPAC	name				zin-2-ylcarbamoylsulfa-
	100			phene-2-carbox	kylate	
		ne/EU name		furon-methyl		
		(EINECS no.)	None			
		x no	016-096-0	00-2		
		lar weight	387.4		•	
Classification of the ingredient		Hazards to the aquatic environment, acute: Category 1 (H400)				
					chron	ic: Category 1 (H410)
	Metsulf	uron-methyl	Content: 4	1% by weight		
CAS name		Content: 4% by weight Benzoic acid, 2-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-				
		ine				
	CAS no		yl)amino]carbonyl]amino]sulfonyl]-, methyl ester 74223-64-6			
		name			methyl-1.3.5-triaz	zin-2-vlcarbamovl-
	101110		Methyl 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoyl- sulfamoyl)benzoate			
	ISO nar	ne/EU name	Metsulfuron-methyl			
		(EINECS no.)	None			
		ex no	613-139-00-2			
		lar weight	381.4			
		cation of the ingredient		the aquatic en	vironment, acute	: Category 1 (H400)
		e		1		iic: Category 1 (H410)
	Reporte	able ingredients	Content	CAS no.	EC no.	Classification
	-	-	(% w/w)		(EINECS no.)	
	Sodium	carbonate	10 - 15	497-19-8	207-838-8	Eye Irrit. 2 (H319)
		. 01-2119485498-19	10-15	+27-12-0	207-030-0	Lyc IIII. 2 (11317)
	rcg. 110	. 01-2117+03+70-17				
	Lignosu	lfonic acid, sodium salt,	1 – 5	68512-34-5	None	Eye Irrit. 2 (H319)
	sulfome		$\mathbf{I} = \mathbf{J}$	00 <i>3</i> 12-3 - -3	THOME	Lyc mit. 2 (11517)
	Sanonie					

***** SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures Inhalation	If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
	Skin contact	Immediately remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. See physician if any symptom develops.



Material group	-	Page 4 of 15
Product name	MOZIAC SX DPX-E8698 44SG	
		August 2018
Eye co	ntact	Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation persists.
Ingesti	on	Inducing vomiting is not recommended. Rinse mouth and drink water or milk. If vomiting does occur, rinse mouth and drink fluids again. Call a doctor or get medical attention immediately.
	mportant symptoms and , both acute and delayed	Possibly irritation.
4.3. Indication of any immediate medical attention and special		Immediate medical attention is required in case of ingestion
	treatment needed	It may be helpful to show this safety data sheet to physician.
Note to	o physician	A specific antidote against this substance is not known. Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment is supportive and symptomatic. Possible mucosal damage may contraindicate the use of gastric lavage.
SECTION 5:	FIRE-FIGHTING MEASU	RES
5.1. Exting	uishing media	Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.

	for farge files. Avoid fieuvy fiose streams.
5.2. Special hazards arising from the substance or mixture	The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, sulphur dioxide, carbon monoxide and carbon dioxide.
5.3. Advice for firefighters	Use water spray to keep fire-exposed containers cool. Approach fire from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self- contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures		It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.
		In case of large spill (involving 10 tonnes of the product or more): 1. use personal protection equipment; see section 8 2. call emergency telephone no.; see section 1 3. alert authorities.
		Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this



Material		_		Page 5 of 15
Product	name	MOZIAC SX DPX-E8698 44SG		
				August 2018
			may mean wearing respirator, face mask or resistant clothing, gloves and rubber boots.	eye protection, chemical
			Stop the source of the spill immediately if s avoid formation of airborne dust as much as moistening. Remove sources of ignition.	
6.2.	Enviro	nmental precautions	Contain the spill to prevent any further con or water. Wash waters must be prevented fi drains. Uncontrolled discharge into water c the appropriate regulatory body.	com entering surface water
		ls and materials for ment and cleaning up	It is recommended to consider possibilities effects of spills, such as bunding or capping Section 6).	
			Surface water drains should be covered if a the floor or other impervious surface should or preferably vacuumed up using equipmen filter. Transfer to suitable containers. Clean detergent and much water. Absorb wash liq such as universal binder, Fuller's earth, ben clay and collect in suitable containers. The properly closed and labelled.	d immediately be swept up th with high efficiency final area with strong industrial uid onto inert absorbent tonite or other absorbent
			Large spills which soak into the ground sho transferred to suitable containers.	ould be dug up and
			Spills in water should be contained as much the contaminated water. The contaminated and removed for treatment or disposal.	1 0
6.4.]	Referen	nce to other sections	See subsection 8.2. for personal protection. See section 13 for disposal.	

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling	In an industrial environment, it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.
	For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.



Material group	_	Page 6 of 15
Product name	MOZIAC SX DPX-E8698 44SG	
		August 2018
		Avoid contact with eyes, skin or clothing. Avoid breathing dust or spray mist. Remove contaminated clothing immediately. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. After work, take off all work clothes and footwear. Take a shower, using water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and
		soap after each use. Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.
	ions for safe storage, ng any incompatibilities	The product is stable under normal conditions of warehouse storage. Keep in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
7.3. Specifi	c end use(s)	The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

***** SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Personal exposure limits

To our knowledge not established for the active ingredients or any other component in this product. An exposure limit of 10 mg/m^3 (8-hr TWA) is recommended for other sulphonylureas. However, personal exposure limits defined by local regulations may exist and must be observed.

Thifensulfuron-methyl

DNEL, systemic	Not established EFSA has established an AOEL of 0.07 mg/kg bw/day
PNEC, aquatic environment	0.05 μg/l



Material group			Page 7 of 15
Product name	MOZIAC SX		
	DPX-E8698 44SG		August 2018
Metsu	lfuron-methyl		
DNEL	, dermal	Not established	
PNEC,	, aquatic environment	EFSA has established an AOEL of 0.25 m 0.016 μg/l	ıg/kg bw/day
Sodiu	m carbonate		
	, inhalation	10 mg/m ³	
PNEC,	, aquatic environment	No data available	
8.2. Exposure controls		When used in a closed system, personal probe required. The following is meant for othe of a closed system is not possible, or where system. Consider the need to render equip hazardous before opening.	her situations, when the use it is necessary to open the
		The precautions mentioned below are prin the undiluted product and for preparing the recommended for spraying as well.	
		In cases of incidental high exposure, maxi equipment may be necessary, such as resp resistant coveralls.	
	Respiratory protection	The product does not automatically presence concern during normal handling, but in the discharge of the material which produces a workers must put on officially approved re equipment with a universal filter type inclu-	e event of an accidental a heavy vapour or dust, espiratory protection
	Protective gloves	Wear chemical resistant gloves, such as band nitrile rubber or viton. The breakthrough the product are unknown, but it is expected adequate protection.	imes of these materials for
E	Eye protection	Wear safety glasses. It is recommended to immediately available in the workplace where eye contact.	
2	Other skin protection	Wear appropriate chemical resistant clothi depending on the extent of exposure. Duri situations where exposure to the material of limited time span, waterproof pants and ap material or coveralls of polyethylene (PE) of PE must be discarded after use if contan excessive or prolonged exposure, coverall required	ng most normal work cannot be avoided for a oron of chemical resistant will be sufficient. Coveralls ninated. In cases of

required.



Material group	-	Page 8 of 15
	MOZIAC SX DPX-E8698 44SG	August 2018

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.	Information on physical and chemical properties		
	Appearance	Light brown solid (granul	es)
	Odour	Slight	
	Odour threshold	Not determined	
	pH	10 g/l dispersion in water:	: 8.7 at 25°C
	Melting point	Thifensulfuron-methyl	
	Finance Point	Metsulfuron-methyl	: 162°C
	Initial boiling point and boiling range	Decomposes	
	Flash point	Not determined	
	Evaporation rate	Not determined	
	Flammability (solid/gas)	Not highly flammable	
	Upper/lower flammability or		
	explosive limits	Not determined	
	Vapour pressure	Thifensulfuron-methyl	
			1.7 x 10 ⁻⁸ Pa at 25°C
		Metsulfuron-methyl	: 1.1 x 10 ⁻¹⁰ Pa at 20°C
			3.3 x 10 ⁻¹⁰ Pa at 25°C
	Vapour density	Not determined	
	Relative density	Not determined	
		Bulk density, packed: 0.69	
	Solubility(ies)	Solubility of thifensulfur	•
			< 0.1 g/l
		acetonitrile	7.3 g/l
		water	0.223 g/l at pH 5 and 25°C
			2.24 g/l at pH 7 and 25°C
			8.83 g/l at pH 9 and 25°C
		Solubility of metsulfuron	2.040 g/l at pH 7 and 20°C
			0.584 mg/l
			5.9 g/l
			0.55 g/l at pH 5
			2.79 g/l at pH 7
		21	• •
	Partition coefficient n-octanol/water	Thifensulfuron-methyl	$\log K_{ow} = -1.7$ at pH 7 and 25°C
		Metsulfuron-methyl	: $\log K_{ow} = -1.7$ at pH 7 and 25°C
	Autoignition temperature	Not determined	
	Decomposition temperature	Thifensulfuron-methyl	
			: starting from approx. 162°C
	Viscosity	Not determined	
	Explosive properties	Not explosive	
	Oxidising properties	Not oxidising	
9.2.	Other information		
, . <u> </u>	Miscibility	The product is dispersible	in water.
	,	1	



Material group	-	Page 9 of 15
Product name	MOZIAC SX DPX-E8698 44SG	August 2018

SECTION 10: STABILITY AND REACTIVITY

10.1.	Reactivity	To our knowledge, the product has no special reactivities.
10.2.	Chemical stability	The product is stable during normal handling and storage at ambient temperatures.
10.3.	Possibility of hazardous reactions	None known.
10.4.	Conditions to avoid	Heating of the product may evolve harmful and irritant vapours.
10.5.	Incompatible materials	None known.
10.6.	Hazardous decomposition products	See subsection 5.2.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects	* = Based on available data,	the classification criteria are not met.
--	------------------------------	--

<u>Product</u>	
Acute toxicity	The product is not harmful by inhalation, in contact with skin or if swallowed. * However, it should always be treated with the usual care of handling chemicals. The acute toxicity is measured as:
Route(s) of entry - ingestion	LD ₅₀ , oral, rat: > 5000 mg/kg
- skin	LD_{50} , dermal, rat: > 5000 mg/kg (method OECD 402)
- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritation	Not irritating to skin (method OECD 404). *
Serious eye damage/irritation	Not irritating to eyes (method OECD 405). *
Respiratory or skin sensitisation	Not a skin sensitizer (method OECD 406). *
Germ cell mutagenicity	The product contains no ingredients known to be mutagenic. *
Carcinogenicity	The product contains no ingredients known to be carcinogenic. *
Reproductive toxicity	The product contains no ingredients found to have adverse effects on reproduction. $*$
STOT – single exposure	To our knowledge, no specific effects have been observed after single exposure. *
STOT – repeated exposure	The following has been measured on the active ingredient thifensulfuron-methyl: Target organ: no specific target organ



August 2018 August 2018 August 2018 August 2018 August 2018 August 2018 August 2018 August 2018
kg bw/day in a 90-day rat study. At this body weight was observed (method OJ L133,
body weight was observed (method OJ L133,
body weight was observed (method OJ L133,
ingredients known to present an aspiration
r knowledge, adverse effects in humans have roduct is not expected to cause severe adverse erse health effects cannot be excluded in case
a rapidly absorbed and excreted following oral ly distributed in the body. Metabolism is ence for accumulation.
nful by inhalation, in contact with skin or if oxicity is measured as:
g/kg (method OECD 423)
) mg/kg (method OECD 402)
.03 mg/l/4 h (method OECD 403)
ating to skin (method OECD 404). *
ightly irritating to eyes (method OECD 405).
ensitising in the Local Lymph Node Assay
pidly absorbed and excreted following oral ly distributed in the body. Metabolism is ence for accumulation.
nful by inhalation, in contact with skin or if oxicity is measured as:
g/kg (method 40 CFR 163-81-1)
000 mg/kg (method 40 CFR 163-81-2)
.3 mg/l/4 h (method EEC B2)
thod FIFRA 81.5). *
ethod OECD 405). *



Material group			Page 11 of 15
Product name	MOZIAC SX DPX-E8698 44SG		
	DI X-20030 4400		August 2018
Respirat	ory or skin sensitisation	The substance was not a sensitizer to guinea 406). *	a pigs (method OECD
	<i>carbonate</i> inetics, metabolism and ion	Both sodium and carbonate ions are normal and regulated between narrow ranges. Thes exceeded, except locally in unusual situatio	e ranges will not be
Acute to	oxicity	The substance is not considered to be harms or in contact with skin. *	ful by ingestion, inhalation
Route(s) of entry - ingestion	LD ₅₀ , oral, rat: 2800 mg/kg	
	- skin	LD ₅₀ , dermal, rabbit: > 2000 mg/kg	
	- inhalation	LC50, inhalation, rat: not available	
Skin co	rosion/irritation	Not irritating to skin (method OECD 404).	*
Serious	eye damage/irritation	Several tests have been performed with var evidence is that the substance is irritating to	
Respirat	ory or skin sensitisation	To our knowledge, no indications of allerge reported. *	enic effects have been
	<i>ulfonic acid, sodium salt, sul</i> oxicity	f <u>omethylated</u> The substance is not considered as harmful	by single exposure. *
Route(s) of entry - ingestion	LD ₅₀ , oral, rat: not available	
	- skin	LD50, dermal, rat: not available	
	- inhalation	LC ₅₀ , inhalation, rat: not available	
Serious	eye damage/irritation	Causes serious eye irritation.	

***** SECTION 12: ECOLOGICAL INFORMATION

12.1. **Toxicity** The product is very toxic to aquatic plants. It is considered as non-toxic to fish, aquatic invertebrates, soil micro- and macroorganisms,

birds, mammals and insects.

The ecotoxicity of the product is measured as:

- Fish	Rainbow trout (Oncorhynchus mykiss)	96-h LC ₅₀ : > 130 mg/l
- Invertebrates	Daphnids (Daphnia magna)	48-h EC_{50}: > 130 mg/l
- Algae	Green algae (Pseudokirchneriella subcapitata)	72-h E _b C ₅₀ : 0.609 mg/l
- Aquatic plants	Duckweed (Lemna gibba)	14-day E _b C ₅₀ : 26 µg/l
- Earthworms	Eisenia fetida	LC ₅₀ : > 1000 mg/kg soil
- Insects	Bees (Apis mellifera)	LD ₅₀ , oral: > 0.1 mg/kg



Material group	-	Page 12 of 15
Product name	MOZIAC SX DPX-E8698 44SG	
		August 2018
12.2. Persiste	ence and degradability	The active ingredients do not meet the criteria for being readily biodegradable. However, they are degraded in the environment. Degradation occurs both by chemical hydrolysis and by microbiological degradation.
		Thifensulfuron-methyl is not persistent in the environment. Primary degradation half-lives vary from a few days to a few weeks in aerobic soil and water. Degradation products are not readily biodegradable and remain in soil for a few months.
		Metsulfuron-methyl is moderately persistent in the environment. Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.
		The product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
2.3. Bioacc	umulative potential	See section 9 for n-octanol/water partition coefficients.
		Due to relatively high solubility in water, none of the active ingredients bioaccumulate. The bioconcentration factors (BCFs) are approx. 1.
12.4. Mobili t	ty in soil	Under normal conditions, the active ingredients are mobile in soil. The risk of leaching to ground water is very low for the parent substances, but for some degradation products the risk can be high in vulnerable

groundwater situations.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1.	Waste treatment methods	Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.
		Disposal of waste and packagings must always be in accordance with all applicable local regulations.
	Disposal of product	According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.



Material group	-	Page 13 of 15
Product name	MOZIAC SX DPX-E8698 44SG	August 2018

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Disposal of packaging	 It is recommended to consider possible ways of disposal in the following order: 1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems. 2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials. 3. Delivery of the packaging to a licensed service for disposal of hazardous waste. 4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill, containers should be emptied
	4. Disposal in a landfill of ourning in open all should only occur as a last resort. For disposal in a landfill, containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

SECTION 14: TRANSPORT INFORMATION

the substance or mixture

ADR/RID/IMDG/IATA/ICAO classification

14.1.	UN number	3077
14.2.	UN proper shipping name	Environmentally hazardous substance, solid, n.o.s. (thifensulfuron- methyl and metsulfuron-methyl)
14.3.	Transport hazard class(es)	9
14.4.	Packing group	III
14.5.	Environmental hazards	Marine pollutant
14.6.	Special precautions for user	Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment.
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	The product is not transported in bulk by ship.
SECT	TION 15: REGULATORY INFORMA	TION
15.1.	Safety, health and environmental regulations/legislation specific for	Seveso category (Dir. 2012/18/EU): dangerous for the environment.

15.2.	Chemical safety assessment	A chemical safety assessment is not required to be included for this
		product.

All ingredients are covered by EU chemical legislation.



Material group	_	Page 14 of 15
	MOZIAC SX DPX-E8698 44SG	August 2018

♣ SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet	Minor co	rrections only.
List of abbreviations	AOEL CAS CFR Dir.	Acceptable Operator Exposure Level Chemical Abstracts Service Code of Federal Regulations Directive
	DNEL EC	Derived No Effect Level European Community
	EC_{50} E_bC_{50}	50% Effect Concentration 50% Effect Concentration based on biomass
	EFSA	European Food Safety Authority
	EINECS	European INventory of Existing Commercial Chemical Substances
	FIFRA	Federal Insecticide, Fungicide and Rodenticide Act
	GHS	Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013
	IBC	International Bulk Chemical code
	ISO	International Organisation for Standardization
	IUPAC	International Union of Pure and Applied Chemistry
	LC_{50}	50% Lethal Concentration
	LD ₅₀	50% Lethal Dose
	LOEL	Lowest Observed Effect Level
	MARPOI	L Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution
	n.o.s.	Not otherwise specified
	OECD	Organisation for Economic Cooperation and Development
	PBT	Persistent, Bioaccumulative, Toxic
	PNEC	Predicted No Effect Concentration
	Reg.	Regulation
	SG	Water Soluble Granules
	STOT	Specific Target Organ Toxicity
	TWA	Time Weighted Average
	vPvB	very Persistent, very Bioaccumulative
	WHO	World Health Organisation
References		sured on the product are unpublished company data. Data on ts are available from published literature and can be found laces.
Method for classification	Test data	
Used hazard statements	H319 H400 H410 EUH401	Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. To avoid risks to human health and the environment, comply with the instructions of use.



Material group	_	Page 15 of 15
	MOZIAC SX DPX-E8698 44SG	August 2018

Advice on training This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB