

Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

This Safety Data Sheet adheres to the standards and regulatory requirements of the Republic of Ireland and may not meet the regulatory requirements of other countries.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	:	ALLY <sup>®</sup> MAX SX
Synonyms	:	B11944373 DPX-LDY15 28.6SX

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture Herbicide

#### 1.3. Details of the supplier of the safety data sheet

Company	: Du Pont (UK) Limited Wedgwood Way Stevenage, Herts. SG1 4QN United Kingdom
Telephone	: +44 (0) 1438 734 000
E-mail address	: sds-support@che.dupont.com

## 1.4. Emergency telephone number

Emergency telephone number : +44 (0) 8456 006 640

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Dangerous for the environment	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements



## Warning

Version 6.0

QUPONT

D-1 40000045745
Ref. 130000015715
Very toxic to aquatic life with long lasting effects.
EUH401: To avoid risks to human health and the environment, comply with the instructions for use., Contains: Tribenuron methyl / EUH208: May produce an allergic reaction.,
Collect spillage.
Dispose of contents/ container to an approved waste disposal plant.
Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

## 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

Registration number         Classification according to           Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration
---	---	---------------

#### Tribenuron methyl (CAS-No.101200-48-0) (EC-No.401-190-1)

<b>, , , , , , , , , ,</b>		
R43	Skin Sens. 1; H317	14.3 %
N;R50/53	Aquatic Acute 1; H400	
	Aquatic Chronic 1; H410	
	•	

#### Metsulfuron methyl (CAS-No.74223-64-6)

N;R50/53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	14.3 %
	Aqualic Chronic 1, 11410	

#### Sodium carbonate (CAS-No.497-19-8) (EC-No.207-838-8)

01-2119485498-19	Xi;R36	Eye Irrit. 2; H319	>= 5 - < 10 %

## Lignosulfonic acid, sodium salt, sulfomethylated (CAS-No.68512-34-5)

	/	
Xi;R36	Eye Irrit. 2; H319	>= 1 - < 5 %

#### Trisodium phosphate dodecahydrate (CAS-No.10101-89-0)

|--|

Version 6.0 Revision Date 25.07.2013

## Ref. 130000015715

The above products are REACH compliant; Registration number(s) may not be provided because substance(s) are exempted, not yet registered under REACH or are registered under another regulatory process (biocide uses, plant protection products), etc.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

	General advice	:	For specialist advice physicians should contact the National Poisons Information Service: Tel. (01) 809 2911. Never give anything by mouth to an unconscious person.		
	Inhalation	:	Move to fresh air. Oxygen or artificial respiration if needed. Consult a physician after significant exposure.		
	Skin contact		Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. Wash contaminated clothing before re-use.		
	Eye contact	:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. If eye irritation persists, consult a specialist.		
	Ingestion	:	Obtain medical attention. Do not induce vomiting without medical advice. If victim is conscious: Rinse mouth with water.		
	4.2. Most important symptor	nsa	and effects, both acute and delayed		
	Symptoms	:	No cases of human intoxication are known and the symptoms of experimental intoxication are not known.		
	4.3. Indication of any immediate medical attention and special treatment needed				
	Treatment	:	Treat symptomatically.		
SE	SECTION 5: Firefighting measures				
	5.1. Extinguishing media				
	Suitable extinguishing media	:	Water spray, Dry chemical, Carbon dioxide (CO2)		
	Extinguishing media which shall not be used for safety reasons	:	High volume water jet, (contamination risk)		
	5.2. Special hazards arising from the substance or mixture				
	Specific hazards during firefighting	:	Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO2) nitrogen oxides (NOx)		
	5.3. Advice for firefighters				
			3/13		



SAFETY DATA SHEET according to Regulation (EC) No 1907/2006 and 453/2010			
ALLY <sup>®</sup> MAX SX			
Version 6.0 Revision Date 25.07.2013	Ref. 130000015715		
Special protective equipment for firefighters	: Wear self-contained breathing apparatus and protective suit.		
Further information	: Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
	: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.		
SECTION 6: Accidental release r	neasures		
6.1. Personal precautions, p	rotective equipment and emergency procedures		
Personal precautions	: Control access to area. Avoid breathing dust. Avoid contact with skin. Use personal protective equipment. Keep people away from and upwind of spill/leak. Refer to protective measures listed in sections 7 and 8.		
6.2. Environmental precaution	ons		
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3. Methods and materials for containment and cleaning up			
Methods for cleaning up	<ul> <li>Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Clean-up methods - large spillage Avoid dust formation. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).</li> <li>If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.</li> </ul>		
Other information	: Never return spills in original containers for re-use. Dispose of in accordance with local regulations.		
6.4. Reference to other sections			
For personal protection see se	ection 8., For disposal instructions see section 13.		
SECTION 7: Handling and storage	SECTION 7: Handling and storage		
7.1. Precautions for safe ha	ndling		
Advice on safe handling	: Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear		



Version 6.0 Revision Date 25.07.2013		Ref. 130000015715
		before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Avoid exceeding of the given occupational exposure limits (see section 8).
Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.
7.2. Conditions for safe sto	orag	ge, including any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in a place accessible by authorized persons only. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
Advice on common storage	:	No special restrictions on storage with other products.
Other data	:	Stable under recommended storage conditions.
7.3. Specific end use(s)		

Plant protection products subject to Regulation (EC) No 1107/2009.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

If sub-section is empty then no values are applicable.

#### Components with workplace control parameters

Туре	Control	Update	Basis	Remarks
Form of exposure	parameters			

## Sucrose (CAS-No. 57-50-1)

TWA	10 mg/m3	2010	ELV (IE)	
STEL	20 mg/m3	2010	ELV (IE)	

#### 8.2. Exposure controls

Engineering measures	: Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Contains no substances with occupational exposure limit values.
Eye protection	: Safety glasses with side-shields conforming to EN166
Hand protection	<ul> <li>Material: Nitrile rubber Glove thickness: 4 - 7 mm Glove length: Gauntlets of 35 cm long or longer. Protection index: Class 6 Wearing time: &gt; 480 min The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by</li> </ul>
	5/13

Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

**OUPOND** 

	the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets of 35 cm long or longer shall be worn over the combination sleeve. Before removing gloves clean them with soap and water.
Skin and body protection	: Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2) Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Backpack / knapsack sprayer: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN 14605) Nitrile rubber boots (EN 13832-3 / EN 14605) Nitrile rubber boots (EN 13832-3 / EN 15O 20345). Mechanical automatized spray application in closed tunnel: No personal body protection normally required. When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345).
	To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.
Protective measures	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.
Respiratory protection	: Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149) Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149) Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required. Tractor / sprayer without hood: Low application (horticulture, field crops): Half mask with a particle filter
	6/13

Version 6.0 Revision Date 25.07.2013

### Ref. 130000015715

P1 (EN 143). Backpack / knapsack sprayer: Low application (horticulture, field crops): Half mask with a particle filter P1 (EN 143). Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
Form	: granular		
Colour	: brown, light brown		
Odour	: mild, lignin like		
Odour Threshold	: not determined		
рН	: 9.2 at 10 g/l ( 20 °C)		
Melting point/range	: Not available for this mixture.		
Boiling point/boiling range	: not applicable		
Flash point	: not applicable		
Flammability (solid, gas)	: The product is not flammable.		
Thermal decomposition	: Not available for this mixture.		
Auto-ignition temperature	: Not available for this mixture.		
Oxidizing properties	: The product is not oxidizing.		
Explosive properties	: Not explosive		
Lower explosion limit/ lower flammability limit	: Not available for this mixture.		
Upper explosion limit/ upper flammability limit	: Not available for this mixture.		
Vapour pressure	: Not available for this mixture.		
Relative density	: Not available for this mixture.		
Bulk density	: 688 kg/m3 , packed		
Water solubility	: soluble		
Partition coefficient: n- octanol/water	: not applicable		
Viscosity, kinematic	: not applicable		
Relative vapour density	: Not available for this mixture.		
7/13			

ALLY <sup>®</sup> MAX SX	
Version 6.0 Revision Date 25.07.2013	Ref. 130000015715
Evaporation rate	: Not available for this mixture.
9.2. Other information	
Physchem./other information	: No other data to be specially mentioned.
SECTION 10: Stability and reactive	, ity
10.1. Reactivity	: No hazards to be specially mentioned.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. Polymerization will not occur. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: To avoid thermal decomposition, do not overheat. Under severe dusting conditions, this material may form explosive mixtures in air.
10.5. Incompatible materials	: No materials to be especially mentioned.
10.6. Hazardous decomposition products	: No hazardous decomposition products are known.
SECTION 11: Toxicological inform	nation
11.1. Information on toxicolo	ogical effects
Aguto oral toxicity	

Acute oral toxicity

LD50 / rat : > 5,000 mg/kg Method: Fixed Dose Method The toxicological data has been taken from products of similar composition. Information source: Internal study report

Acute inhalation toxicity

• Metsulfuron methyl LC50 / 4 h rat : > 5.3 mg/l

Acute dermal toxicity

LD50 / rat : > 5,000 mg/kg Method: OECD Test Guideline 402 The toxicological data has been taken from products of similar composition. Information source: Internal study report

Skin irritation

rabbit Result: No skin irritation Method: OECD Test Guideline 404 The toxicological data has been taken from products of similar composition. Information source: Internal study report

Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

Eye irritation

rabbit Result: No eye irritation Method: OECD Test Guideline 405 The toxicological data has been taken from products of similar composition. Information source: Internal study report

Sensitisation

mouse Local lymph node test Result: Animal test did not cause sensitization by skin contact. Method: OECD Test Guideline 429 (Data on the product itself) Information source: Internal study report

Repeated dose toxicity

 Tribenuron methyl The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral rat Exposure time: 28 d Reduced body weight gain

 Metsulfuron methyl Oral rat Exposure time: 90 d Reduced body weight gain, Liver effects

Oral rat Reduced body weight gain, Organ weight changes, Liver

Dermal rabbit Skin irritation

Mutagenicity assessment

- Tribenuron methyl Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Metsulfuron methyl

Did not show mutagenic effects in animal experiments. Did not cause genetic damage in cultured bacterial cells. Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Carcinogenicity assessment

- Tribenuron methyl Not classifiable as a human carcinogen. An increased incidence of tumours was observed in laboratory animals. Target(s): Mammary glands
- Metsulfuron methyl Did not show carcinogenic effects in animal experiments.

9/13



Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

Toxicity to reproduction assessment

- Tribenuron methyl No toxicity to reproduction
- Metsulfuron methyl Animal testing did not show any effects on fertility.

Assessment teratogenicity

Metsulfuron methyl
 Animal testing showed no developmental toxicity.

STOT - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

The mixture does not have properties associated with aspiration hazard potential.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxicity to fish

static test / LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 120 mg/l Method: OECD Test Guideline 203 The toxicological data has been taken from products of similar composition. Information source: Internal study report

Toxicity to aquatic plants

EbC50 / 72 h / Pseudokirchneriella subcapitata (green algae): > 0.082 mg/l Method: OECD Test Guideline 201 (Data on the product itself) Information source: Internal study report

ErC50 / 168 h / Lemna gibba (duckweed): > 0.036 mg/l Method: OECD Test Guideline 221 (Data on the product itself)

Toxicity to aquatic invertebrates

static test / LC50 / 48 h / Daphnia magna (Water flea): > 120 mg/l Method: OECD Test Guideline 202 The toxicological data has been taken from products of similar composition. Information source: Internal study report

Chronic toxicity to fish



Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

- Tribenuron methyl NOEC / 21 d / Oncorhynchus mykiss (rainbow trout): > 560 mg/l
- Metsulfuron methyl NOEC / 21 h / Oncorhynchus mykiss (rainbow trout): 68 mg/l

Chronic toxicity to aquatic Invertebrates

- Tribenuron methyl NOEC / 21 d / Daphnia magna (Water flea): 120 mg/l
- Metsulfuron methyl NOEC / 21 h / Daphnia magna (Water flea): 100 mg/l

## 12.2. Persistence and degradability

#### Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

## 12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

#### 12.4. Mobility in soil

Mobility in soil

Under actual use conditions, there is no reasonable expectation of any movement of the product from the top soil layer.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). / This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### 12.6. Other adverse effects

#### Additional ecological information

No other ecological effects to be specially mentioned

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product	In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.	
Contaminated packaging	: Do not re-use empty containers.	
	11/13	

Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

**OUPOND** 

SECTION	N 14: Transport information	n			
ADR	2				
	. UN number:		3077		
	. UN proper shipping name:	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,		
	1 1 11 3		N.O.S. (Tribenuron methyl, Metsulfuron methyl)		
14.3	. Transport hazard class(es	):	9		
14.4	Packing group:				
	. Environmental hazards:		Environmentally hazardous		
14.6	. Special precautions for us	er:			
	Tunnel restriction code:		(E)		
			2077		
	. UN number:		3077		
14.2	. UN proper shipping name:		Environmentally hazardous substance, solid, n.o.s. (Tribenuron methyl, Metsulfuron methyl)		
14 3	. Transport hazard class(es	).	9		
	. Packing group:				
	. Environmental hazards :		Environmentally hazardous		
	. Special precautions for us	er.			
1.110	DuPont internal recommer		ransport guidance: ICAO / IATA cargo aircraft only		
IMD	G				
14.1	. UN number:		3077		
14.2	. UN proper shipping name:	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,		
			N.O.S. (Tribenuron methyl, Metsulfuron methyl, Tribenuron methyl,		
			Metsulfuron methyl)		
	. Transport hazard class(es	):	9		
	. Packing group:				
	. Environmental hazards :		Marine pollutant		
14.6	. Special precautions for us	er:			
	no data available				
447	Transport in bulk accord	ling to Anno	I of MARROL 72/79 and the IRC Code		
14.7	-	ing to Anney	II of MARPOL 73/78 and the IBC Code		
	not applicable				
SECTION	N 15: Regulatory information	on			
15.1	. Safety, health and enviro	nmental regi	Ilations/legislation specific for the substance or mixture		
Othe	er regulations :		is classified as dangerous in accordance with Regulation (EC) No.		
			Take note of Dir 94/33/EC on the protection of young people at		
			note of Directive 98/24/EC on the protection of the health and safety		
			om the risks related to chemical agents at work. Take note of		
			82/EC on the control of major-accident hazards involving		
			ubstances. Take note of Directive 2000/39/EC establishing a first		
		list of indicat	ive occupational exposure limit values.		
15 0	. Chemical Safety Assessr	mont			
13.2	. Chemical Safety Assessi	nem			
A Cł	nemical Safety Assessment i	is not required	for this/these products		
			product under Regulation (EC) No. 1107/2009.		
	er to the label for exposure as				
			12/13		



Version 6.0 Revision Date 25.07.2013

Ref. 130000015715

## **SECTION 16: Other information**

#### Text of R-phrases mentioned in Section 3

R34	Causes burns.
R36	Irritating to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Full text of H-Statements referred to under section 3.

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Other information professional use

#### **Further information**

Before use read DuPont's safety information., Take notice of the directions of use on the label. <sup>®</sup> Registered trademark of E.I. du Pont de Nemours and Company

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.