



DANGER

PLATFORM S - Water dispersible granule formulation containing 60 % w/w mecoprop-P and 1.5% w/w carfentrazone-ethyl

MAPP N°.: 17259

- H302** Harmful if swallowed
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H410 Very toxic to aquatic life with long lasting effects
P270 Do not eat, drink or smoke when using this product
P280 Wear protective gloves / protective clothing / eye protection / face protection
P301+P312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P501 Dispose of contents / container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
EUH401 To avoid risks to human health and the environment, comply with the instructions for use

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.



Distributed in the UK by:
Headland Agrochemicals Ltd.
Rectors Lane, Pentre, Flintshire CH5 2DH
Tel.: 01244 537370, Fax: 01244 532097
E-mail: flintshire.enquiry@headlandgroup.com – www.headland-ag.co.uk



Approval Holder:
FMC Chemical sprl
Boulevard de la Plaine, 9/3, B-1050 Brussels, Belgium
Tel. +32 2 645 95 84
© Registered trademarks of FMC Corporation, USA

SAFETY PRECAUTIONS

Operator protection

- Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:
- Wear suitable protective clothing (coveralls), suitable protective gloves, face protection (faceshield) and suitable respiratory protective equipment (disposable filtering facepiece respirator to at least EN149 FFP2, or equivalent) when handling the product.
- Wear suitable protective gloves when handling contaminated surfaces.
- However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.
- **WHEN USING DO NOT EAT, DRINK OR SMOKE.**
- **AVOID ALL CONTACT WITH SKIN.**
- **WASH HANDS AND EXPOSED SKIN** before meals and after work.
- **IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY** with plenty of water and seek medical advice.
- **WASH CONCENTRATE** from skin or eyes immediately.
- **AVOID ALL CONTACT BY MOUTH.**

Environmental protection

- Do not contaminate water with this product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.
- **KEEP LIVESTOCK OUT** of treated areas for at least two weeks following treatment and until poisonous weeds such as ragwort have died and become unpalatable.

Storage and disposal

- **KEEP IN ORIGINAL CONTAINER**, tightly closed, in a safe place.
- **KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.**
- **KEEP OUT OF REACH OF CHILDREN.**
- **WASH OUT CONTAINER THOROUGHLY**, empty washings into spray tank and dispose of safely.
- **DO NOT RE-USE CONTAINER** for any purpose

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Restrictions

- Avoid overlapping spray swaths
- Do not apply Platform S to crops under stress from drought, waterlogging, cold, pests or diseases, nutrient or lime deficiency or other factors reducing plant growth.
- The crop should not be rolled or harrowed within a few days before and after spraying.
- Do not spray on winter wheat, winter barley, winter oats, spring wheat, spring barley or spring oats, undersown with clover or other legumes or any broad-leaved crop.
- Extreme care should be taken to avoid damage by drift onto plants outside the target area

Warning

Because some non-target plants are sensitive to Platform S, spray drift must be avoided on to nearby susceptible broad-leaved plants outside the target area, or on to ponds, waterways and ditches. Thorough cleaning of equipment is also important.

Resistance Management

Strains of some annual weeds have developed resistance to herbicides, which may lead to poor control. A strategy for preventing and managing such resistance should be adopted. To prevent the development of resistant weeds, herbicides with different modes of action must be used when applying 'Platform S' in sequence. Treat weeds when they are small and actively growing and investigate any unexplained incidences of poor weed control for possible resistance.

Note: The total amount of mecoprop-P applied to an individual crop, or in a single year in the case of a perennial crop, must not exceed the maximum total dose of mecoprop-P approved for application to that crop by any single mecoprop-P containing product.

Crop safety and timing

Platform S can be used on all varieties of winter wheat, winter barley, winter oats, spring wheat, spring barley and spring oats from the two leaf stage of the crop (GS12) to before the 3rd node detectable stage (before GS33). Platform S can be used on seed crops.

Weed control

Platform S is recommended for the postemergence control of the weeds shown in the following table:

WEED ENGLISH NAME	WEED LATIN NAME	MAXIMUM GROWTH STAGE
Cleavers*	<i>Galium aparine</i>	< 35 cm across/high
Speedwells	<i>Veronica spp.</i>	< 15 cm across/high
Common chickweed	<i>Stellaria media</i>	< 15 cm across/high
Red dead-nettle	<i>Lamium purpureum</i>	< 10 cm across/high
Charlock	<i>Sinapis arvensis</i>	< 10 cm across/high

* Treatment of larger weeds can result in poor spray coverage and reduced control. Platform S should be applied when weeds have germinated and are growing vigorously under warm moist conditions.

Dose, Volume and Application

Dose: 1 kg Platform S / ha.

Volume: 200-400 litres of water per hectare ensuring that good overall coverage of the weeds is achieved. Use the higher volume where the crop or weed infestation is dense.

Pressure: 2-3 bars.

Spray Quality: MEDIUM (as defined by BCPC).

Mixing: Half fill the spray tank with clean water. Commence agitation. Steadily and slowly add the recommended quantity of product to the spray tank (pre-mixing is not necessary). Maintain

continuous agitation during mixing. Complete filling and maintain agitation of the suspension before and during spraying until the tank is empty.

Number of applications: Two per crop.

Applications must not be made between 1 October and 1 March

Latest time of application: Before the third node detectable stage (GS 33).

Succeeding and replacement crops

There is no restriction on the planting of any succeeding or rotational crop 3 months after the application of Platform S. All cereals, maize, oilseed rape, peas, vetch and sunflower can be sown 1 month after a spring application of Platform S.

Spray tank clean-out

To avoid damage to crops other than cereals, thoroughly clean all spray equipment (including inside and outside of the lid), using clean water:

1. Immediately after spraying of Platform S, drain tank completely. Any contamination of the outside of the spraying equipment should be removed by washing with water to which should be added a commercially available cleaning agent.
2. Rinse inside of tank with clean water, to which should be added a commercially available cleaning agent (eg., All Clear™ Extra), and flush through boom and hoses using at least one tenth of the spray tank volume. Drain tank completely. Repeat operation.
3. Do not contaminate surface waters or ditches with rinse water or empty containers.

Warranty: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Damages: Buyer's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damage not exceeding the purchase price paid and shall not include incidental or consequential damages.

MATERIAL SAFETY DATA SHEET

To Access the Safety Data Sheet for this product scan the QR code

or visit <http://msdsviewer.fmc.com> and enter Product ID: **1696-1-A**
Alternatively, contact your supplier.



