

Material group	BP20101	Page 1 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017
Safety data sheet according to EU Reg. 1907/2006 as amended		Supersedes March 2014

SAFETY DATA SHEET

FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC



Revision: Sections containing a revision or new information are marked with a ♣.

♣ SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1. **Product identifier** **TERRANE**
FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC
Contains flufenacet
- 1.2. **Relevant identified uses of the substance or mixture and uses advised against** Can be used as herbicide only.
- 1.3. **Details of the supplier of the safety data sheet** **CHEMINOVA A/S**
 Thyborønvej 78
 DK-7673 Harboøre
 Denmark
SDS.Ronland@fmc.com
- 1.4. **Emergency telephone number**
Company (+45) 97 83 53 53 (24 h; for emergencies only)
- Medical emergencies:
- | | |
|--|--|
| Austria: +43 1 406 43 43 | Netherlands: +31 30 274 88 88 |
| Belgium: +32 70 245 245 | Norway: +47 22 591300 |
| Bulgaria: +359 2 9154 409 | Poland: +48 22 619 66 54
+48 22 619 08 97 |
| Cyprus: 1401 | Portugal: 808 250 143 (in Portugal only)
+351 21 330 3284 |
| Czech Republic: +420 224 919 293
+420 224 915 402 | Romania: +40 21318 3606 |
| Denmark: +45 82 12 12 12 | Slovakia: +421 2 54 77 4 166 |
| France: +33 (0) 1 45 42 59 59 | Slovenia: +386 41 650 500 |
| Finland: +358 9 471 977 | Spain: +34 91 562 04 20 |
| Greece: 30 210 77 93 777 | Sweden: +46 08-331231
112 |
| Hungary: +36 80 20 11 99 | Switzerland: 145 |
| Ireland (Republic): +352 1 809 2166 | United Kingdom: 0870 600 6266 (in the UK only) |
| Italy: +39 02 6610 1029 | U.S.A. & Canada: +1 800 / 331-3148 (PROSAR) |
| Lithuania: +370 523 62052
+370 687 53378 | All other countries: +1 651 / 632-6793 (PROSAR - Collect) |
| Luxembourg: +352 8002 5500 | |

Material group	BP20101	Page 2 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

♣ SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture	Specific target organ toxicity – repeated exposure: Category 2 (H373) Hazards to the aquatic environment, acute: Category 1 (H400) chronic Category 1 (H410)
WHO classification	Class III: Slightly hazardous
Health hazards	The product may be harmful by prolonged or repeated exposure.
Environmental hazards	The product is very toxic to aquatic organisms.
2.2. Label elements	
<i>According to EU Reg. 1272/2008 as amended</i>	
Product identifier	Flufenacet 400 g/l + Diflufenican 100 g/l SC Contains flufenacet
Hazard pictograms (GHS08, GHS09)	 
Signal word	Warning
Hazard statements	
H373	May cause damage through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Supplementary hazard statements	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions of use.
Precautionary statements	
P260	Do not breathe vapours.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P314	Get medical attention/advice if you feel unwell.
P391	Collect spillage.
P501	Dispose of contents/container as hazardous waste.
2.3. Other hazards	None of the ingredients in the product meets the criteria for being PBT or vPvB.

♣ SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances	The product is a mixture, not a substance
------------------------------	---


Material group	BP20101	Page 3 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

3.2. **Mixtures** See section 16 for full text of hazard statements.


Active ingredients

Flufenacet Content: 33% by weight
 CAS name Acetamide, N-(4-fluorophenyl)-N-(1-methylethyl)-2-[[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy]-
 CAS no. 142459-58-3
 IUPAC name(s) 4'-Fluoro-N-isopropyl-2-(5-trifluoromethyl-1,3,4-thiadiazol-2-yloxy)acetanilide
 ISO name/EU name Flufenacet
 EC no. (EINECS no.) None
 EU index no. 613-164-00-9
 Classification of the ingredient Acute oral toxicity: Category 4 (H302)
 Sensitisation – skin: Category 1 (H317)
 Specific target organ toxicity – repeated exposure: Category 2 (H373)
 Hazards to the aquatic environment, acute: Category 1 (H400)
 chronic: Category 1 (H410)

Structural formula



Diflufenican Content: 8% by weight
 CAS name 3-Pyridinecarboxamide, N-(2,4-difluorophenyl)-2-[3-(trifluoromethyl)phenoxy]-
 CAS no. 83164-33-4
 IUPAC name 2',4'-Difluoro-2-(α,α,α -trifluoro-*m*-tolyl)nicotinamide
 ISO name/EU name Diflufenican
 EC no. (EINECS no.) None
 EU index no. 616-032-00-9
 Classification of the ingredient Hazards to the aquatic environment, chronic: Category 3 (H412)
 Structural formula



Reportable ingredients

	Content (% w/w)	CAS no.	EC no. (EINECS no.)	Classification
Glycerol	10	56-81-5	200-289-5	None
Sodium alkylphthalenesulphonate-formaldehyde condensate	2	577773-56-9	None	Eye Irrit. 2 (H319)

Material group	BP20101	Page 4 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

1,2-Benzisothiazol-3(2H)-one	0.01	2634-33-5	220-120-9	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400)
------------------------------	------	-----------	-----------	--

SECTION 4: FIRST AID MEASURES

- 4.1. Description of first aid measures**
- Inhalation If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- Skin contact Immediately remove contaminated clothing and footwear. Flush skin with water. Wash with water and soap. See physician if any symptom develops.
- Eye contact Immediately rinse eyes with much water or eyewash solution, occasionally opening eyelids, until no evidence of chemical remains. Remove contact lenses after a few minutes and rinse again. See physician if irritation persists.
- Ingestion Inducing vomiting is not recommended. Rinse mouth and drink water or milk. If vomiting does occur, rinse mouth and drink fluids again. Call a doctor or get medical attention immediately.
- 4.2. Most important symptoms and effects, both acute and delayed**
- In animal tests non-specific symptoms were seen, such as irregular respiration and lowered activity.
- 4.3. Indication of any immediate medical attention and special treatment needed**
- Immediate medical attention is required in case of ingestion
- It may be helpful to show this safety data sheet to physician.
- Note to physician A specific antidote against this substance is not known. Treatment is as for a general chemical. Gastric lavage and/or administration of activated charcoal can be considered.

SECTION 5: FIRE-FIGHTING MEASURES

- 5.1. Extinguishing media** Dry chemical or carbon dioxide for small fires, water spray or foam for large fires. Avoid heavy hose streams.
- 5.2. Special hazards arising from the substance or mixture**
- The essential breakdown products are volatile, toxic, irritant and inflammable compounds such as nitrogen oxides, hydrogen fluoride, carbon monoxide, carbon dioxide, sulphur dioxide and various fluorinated organic compounds.
- 5.3. Advice for firefighters** Use water spray to keep fire-exposed containers cool. Approach fire

Material group	BP20101	Page 5 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

from upwind to avoid hazardous vapours and toxic decomposition products. Fight fire from protected location or maximum possible distance. Dike area to prevent water runoff. Firemen should wear self-contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

It is recommended to have a predetermined plan for the handling of spills. Empty, closable vessels for the collection of spills should be available.

In case of large spill (involving 10 tonnes of the product or more):

1. use personal protection equipment; see section 8
2. call emergency telephone no.; see section 1
3. alert authorities.

Observe all safety precautions when cleaning up spills. Use personal protection equipment. Depending on the magnitude of the spill this may mean wearing respirator, face mask or eye protection, chemical resistant clothing, gloves and rubber boots.

Stop the source of the spill immediately if safe to do so.

6.2. Environmental precautions

Contain the spill to prevent any further contamination of surface, soil or water. Wash waters must be prevented from entering surface water drains. Uncontrolled discharge into water courses must be alerted to the appropriate regulatory body.

6.3. Methods and materials for containment and cleaning up

It is recommended to consider possibilities to prevent damaging effects of spills, such as bunding or capping. See GHS (Annex 4, Section 6).

Surface water drains should be covered if appropriate. Minor spills on the floor or other impervious surface should be absorbed onto an absorptive material such as universal binder, hydrated lime, Fuller's earth or other absorbent clays. Collect the contaminated absorbent in suitable containers. Clean area with much water and industrial detergent. Absorb wash liquid onto absorbent and transfer to suitable containers. The used containers should be properly closed and labelled.

Large spills which soak into the ground should be dug up and transferred to suitable containers.

Spills in water should be contained as much as possible by isolation of the contaminated water. The contaminated water must be collected and removed for treatment or disposal.

6.4. Reference to other sections

See subsection 8.2. for personal protection.
 See section 13 for disposal.

Material group	BP20101	Page 6 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

♣ SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

In an industrial environment it is recommended to avoid all personal contact with the product, if possible by using closed systems with remote system control. The material should be handled by mechanical means as much as possible. Adequate ventilation or local exhaust ventilation is required. The exhaust gases should be filtered or treated otherwise. For personal protection in this situation, see section 8.

For its use as a pesticide, first look for precautions and personal protection measures on the officially approved label on the packaging or for other official guidance or policy in force. If these are lacking, see section 8.

Do not wear heavily contaminated clothing. Wash thoroughly after handling. Before removing gloves, wash them with water and soap. Wear only clean clothes when leaving job. Wash protective clothing and protective equipment with water and soap after use.

Do not discharge to the environment. Do not contaminate water when disposing of equipment wash waters. Collect all waste material and remains from cleaning equipment, etc., and dispose of as hazardous waste. See section 13 for disposal.

7.2. Conditions for safe storage, including any incompatibilities

The product is stable under normal conditions of warehouse storage. Recommended storage temperature 5 - 30°C.

Keep in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

7.3. Specific end use(s)

The product is a registered pesticide which may only be used for the applications it is registered for, in accordance with a label approved by the regulatory authorities.

♣ SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Personal exposure limits

To our knowledge, personal exposure limits have not been established for the active ingredients in this product.

		Year	
Glycerol	ACGIH (USA) TLV	2015	Not established
	OSHA (USA) PEL	2015	15 mg/m ³ , total dust (mist)
	EU, 2000/39/EC	2009	5 mg/m ³ , respirable fraction

Material group	BP20101	Page 7 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

as amended
 Germany, MAK 2014 Not established
 HSE (UK) WEL 2011 Not established

However, other personal exposure limits defined by local regulations may exist and must be observed.

Flufenacet

DNEL 0.017 mg/kg bw/day
 PNEC, aquatic 44 ng/l

Diflufenican

DNEL, systemic 0.11 mg/kg bw/day
 PNEC, aquatic environment 2.5 ng/l

Glycerol

DNEL, inhalation 56 mg/m³
 PNEC, freshwater 0.885 mg/l
 PNEC, marine water 0.088 mg/l

8.2. **Exposure controls**

When used in a closed system, personal protection equipment will not be required. The following is meant for other situations, when the use of a closed system is not possible, or when it is necessary to open the system. Consider the need to render equipment or piping systems non-hazardous before opening.

The precautions mentioned below are primarily meant for handling of the undiluted product and for preparing the spray solution, but can be recommended for spraying as well.

In cases of incidental high exposure, maximal personal protection equipment may be necessary, such as respirator, face mask, chemical resistant coveralls.



Respiratory protection

The product does not automatically present an airborne exposure concern during normal handling, but in the event of an accidental discharge of the material which produces a heavy vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.



Protective gloves

Wear chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or viton. The breakthrough times of these materials for the product are unknown, but it is expected that they will give adequate protection.



Eye protection

Wear safety glasses. It is recommended to have an eye wash fountain immediately available in the workplace when there is a potential for eye contact.

Material group	BP20101	Page 8 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017



Other skin protection

Wear appropriate chemical resistant clothing to prevent skin contact depending on the extent of exposure. During most normal work situations where exposure to the material cannot be avoided for a limited time span, waterproof pants and apron of chemical resistant material or coveralls of polyethylene (PE) will be sufficient. Coveralls of PE must be discarded after use if contaminated. In cases of excessive or prolonged exposure, coveralls of barrier laminate may be required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on physical and chemical properties

Appearance	Beige to light brown liquid
Odour	Slight odour of mixed chemicals
Odour threshold	Not determined
pH	Undiluted: 4.3 1% dilution in water: 4.9
Melting point/freezing point	Not determined
Initial boiling point and boiling range	100°C
Flash point	> 100°C if any
Evaporation rate	Not determined
Flammability (solid/gas)	Not applicable (liquid)
Upper/lower flammability or explosive limits	Not determined
Vapour pressure	Flufenacet : 9×10^{-5} Pa at 20°C Diflufenican : 4.25×10^{-6} Pa at 25°C 8.19×10^{-6} Pa at 35°C
Vapour density	Not determined
Relative density	1.206 at 20°C
Solubility(ies)	Solubility of flufenacet at 25°C in: toluene > 200 g/l hexane 8.7 g/l water 56 mg/l at 20°C Solubility of diflufenican at 20°C in: ethyl acetate 67 - 80 g/l hexane < 10 g/l water < 0.05 mg/l at 25°C
Partition coefficient n-octanol/water	Flufenacet : $\log K_{ow} = 3.2$ Diflufenican : $\log K_{ow} = 4.9$
Autoignition temperature	> 400 °C if any
Decomposition temperature	Decomposition of flufenacet starts at 150°C
Viscosity	2150 mPa.s at 20°C, 1860 mPa.s at 40°C
Explosive properties.....	Not explosive
Oxidising properties	Not oxidising

9.2. Other information

Miscibility	The product is dispersible in water.
-------------------	--------------------------------------

Material group	BP20101	Page 9 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity** To our knowledge, the product has no special reactivities.
- 10.2. **Chemical stability** The product is stable during normal handling and storage at ambient temperatures.
- 10.3. **Possibility of hazardous reactions** None known.
- 10.4. **Conditions to avoid** Heating of the product will evolve harmful and irritant vapours.
- 10.5. **Incompatible materials** None known.
- 10.6. **Hazardous decomposition products** See subsection 5.2.

♣ SECTION 11: TOXICOLOGICAL INFORMATION

- 11.1. **Information on toxicological effects** * = Based on available data, the classification criteria are not met.
- Product*
- Acute toxicity The product is not considered harmful by single exposure. * The acute toxicity, as measured on a similar product, is:
- Route(s) of entry - ingestion LD₅₀, oral, rat: > 2000 mg/kg (method OECD 425)
 signs of toxicity at this concentration
- skin LD₅₀, dermal, rat: > 2000 mg/kg (method OECD 402)
- inhalation LC₅₀, inhalation, rat: > 5.15 mg/l/4 h (method OECD 403)
- Skin corrosion/irritation Measured on a similar product: minimally irritating to skin (method OECD 404). *
- Serious eye damage/irritation Measured on a similar product: minimally irritating to eyes (method OECD 405). *
- Respiratory or skin sensitisation ... Measured on a similar product: not an allergenic skin sensitizer (method OECD 429). *
- Germ cell mutagenicity The product contains no ingredients known to be mutagenic. *
- Carcinogenicity The product contains no ingredients known to be carcinogenic. *
- Reproductive toxicity The product contains no ingredients found to have adverse effects on reproduction. *
- STOT – single exposure To our knowledge, no specific effects have been observed after single exposure. *
- STOT – repeated exposure The following was found for the active ingredient flufenacet:
 Target organs: liver, thyroid, eye, kidney

Material group	BP20101	Page 10 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

LOEL: 25 ppm (1.2 mg/kg bw/day) in a 2-year rat study based on increased incidence of renal pelvic mineralisation.

Aspiration hazard The product does not present an aspiration pneumonia hazard. *

Symptoms and effects, acute and delayed
 In animal tests non-specific symptoms were seen, such as irregular respiration and lowered activity.

Flufenacet

Toxicokinetics, metabolism and distribution

The substance is rapidly absorbed after oral intake and widely distributed in the body. It is extensively metabolised. The substance and its metabolites are rapidly excreted, almost completely within 72 hours. There is no potential for accumulation.

Acute toxicity The substance is harmful by ingestion. It is not expected to be harmful by skin contact or inhalation. The acute toxicity is measured as:

Route(s) of entry - ingestion LD₅₀, oral, rat (male): 1617 mg/kg
 LD₅₀, oral, rat (female): 589 mg/kg
 - skin LD₅₀, dermal, rat: > 2000 mg/kg *
 - inhalation LC₅₀, inhalation, rat: > 3.74 mg/l *

Skin corrosion/irritation Not irritating to skin. *

Serious eye damage/irritation Not irritating to eyes. *

Respiratory or skin sensitisation ... Skin sensitizer.

Diflufenican

Toxicokinetics, metabolism and distribution

Diflufenican is rapidly absorbed after oral administration. Distribution occurs preferentially to tissues with a high fat content. It is extensively metabolised and rapidly excreted.

Acute toxicity The substance is not harmful by inhalation, in contact with skin or if swallowed. * The acute toxicity is measured as:

Route(s) of entry - ingestion LD₅₀, oral, rat: > 5000 mg/kg (5 studies)
 - skin LD₅₀, dermal, rat: > 2000 mg/kg (method OECD 402)
 - inhalation LC₅₀, inhalation, rat: > 5.12 mg/l/4 h (method US EPA (1985))

Skin corrosion/irritation The substance is not irritating to skin (method US EPA (1985)). *

Serious eye damage/irritation The substance may be slightly irritating to eyes (US EPA (1985)). *

Respiratory or skin sensitisation ... The substance was not sensitising in the Local Lymph Node Assay (method OECD 429). *

Sodium alkyl-naphthalenesulphonate-formaldehyde condensate

Material group	BP20101	Page 11 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

Acute toxicity	The substance is not considered harmful by single exposure. *
Route(s) of entry - ingestion	LD ₅₀ , oral, rat: > 5000 mg/kg
- skin	LD ₅₀ , dermal, rat: not available
- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritation	May be slightly irritating to skin. *
Serious eye damage/irritation	Irritating to eyes.
STOT – single exposure	Inhalation of dust can cause irritation of airways. It is not clear if the criteria for classification are met.

1,2-Benzisothiazol-3(2H)-one

Acute toxicity	The substance is harmful by ingestion.
Route(s) of entry - ingestion	LD ₅₀ , oral, rat (male): 670 mg/kg LD ₅₀ , oral, rat (female): 784 mg/kg (method OPPTS 870.1100, measured on 73% solution)
- skin	LD ₅₀ , dermal, rat: > 2000 mg/kg * (method OPPTS 870.1200, measured on 73% solution)
- inhalation	LC ₅₀ , inhalation, rat: not available
Skin corrosion/irritation	Slightly irritating to skin (method OPPTS 870.2500).
Serious eye damage/irritation	Severely irritating to eyes (method OPPTS 870.2400).
Respiratory or skin sensitisation ...	Moderate dermal sensitizer to guinea pigs (method OPPTS 870.2600). The substance appears to be significantly more sensitising to humans.

SECTION 12: ECOLOGICAL INFORMATION

12.1. **Toxicity** The product is very toxic to aquatic algae and plants. It is less toxic to fish and soil macroorganisms. It is not considered as harmful to birds, insects, aquatic invertebrates and soil microorganisms.

The ecotoxicity, as measured on a similar product, is:

- Fish	Bluegill sunfish (<i>Lepomis macrochirus</i>)	96-h LC ₅₀ : 6.43 mg/l
- Invertebrates	Daphnids (<i>Daphnia magna</i>)	48-h EC ₅₀ : 114 mg/l
- Algae	Green algae (<i>Pseudokirchneriella subcapitata</i>)	72-h EC ₅₀ : 3.06 µg/l
- Plants	Duckweed (<i>Lemna gibba</i>)	7-day EC ₅₀ : 66.7 µg/l 7-day NOEC: 1.0 µg/l
- Earthworms	<i>Eisenia foetida foetida</i>	28-day LC ₅₀ : 81 mg/kg dry substrate
- Bees	Honeybees	48-h LD ₅₀ , acute oral: > 420 µg/bee

Material group	BP20101	Page 12 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

48-h LD₅₀, contact: > 600 µg/bee

- 12.2. **Persistence and degradability** **Flufenacet** is biodegradable, but does not meet the criteria for being readily biodegradable. It undergoes slow degradation in the environment and in waste water treatment plants. Primary degradation half-lives vary with circumstances from a few weeks to a few months in aerobic soil and water.
- Diflufenican** is not readily biodegradable. Primary degradation half-lives vary depending on soil type, but are usually several months.
- The product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
- 12.3. **Bioaccumulative potential** See section 9 for octanol-water partition coefficients.
- Flufenacet** is not expected to bioaccumulate. The measured bioconcentration factor (BCF) of flufenacet is 71.
- Diflufenican** has a potential to bioaccumulate. The Bioconcentration Factor (BCF) was measured to be approx. 1500 for whole fish (rainbow trout). It was excreted within 14 days.
- 12.4. **Mobility in soil** Under normal conditions **flufenacet** is of low mobility in soil.
- In the environment **diflufenican** is not mobile, but is readily absorbed by soil particles.
- 12.5. **Results of PBT and vPvB assessment** None of the ingredients meets the criteria for being PBT or vPvB.
- 12.6. **Other adverse effects** Other relevant hazardous effects in the environment are not known.

SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1. **Waste treatment methods** Remaining quantities of the material and empty but unclean packaging should be regarded as hazardous waste.
- Disposal of waste and packagings must always be in accordance with all applicable local regulations.
- Disposal of product According to the Waste Framework Directive (2008/98/EC), possibilities for reuse or reprocessing should first be considered. If this is not feasible, the material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing.
- Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Material group	BP20101	Page 13 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

Disposal of packaging It is recommended to consider possible ways of disposal in the following order:

1. Reuse or recycling should first be considered. Reuse is prohibited except by the authorisation holder. If offered for recycling, containers must be emptied and triply rinsed (or equivalent). Do not discharge rinsing water to sewer systems.
2. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.
3. Delivery of the packaging to a licensed service for disposal of hazardous waste.
4. Disposal in a landfill or burning in open air should only occur as a last resort. For disposal in a landfill containers should be emptied completely, rinsed and punctured to make them unusable for other purposes. If burned, stay out of smoke.

♣ SECTION 14: TRANSPORT INFORMATION
--

ADR/RID/IMDG/IATA/ICAO classification

- | | |
|---|---|
| 14.1. UN number | 3082 |
| 14.2. UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. (flufenacet and diflufenican) |
| 14.3. Transport hazard class(es) | 9 |
| 14.4. Packing group | III |
| 14.5. Environmental hazards | Marine pollutant |
| 14.6. Special precautions for user | Avoid any unnecessary contact with the product. Misuse can result in damage to health. Do not discharge to the environment. |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code | The product is not transported in bulk by ship. |

SECTION 15: REGULATORY INFORMATION

- | | |
|---|--|
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | Seveso category (Dir. 2012/18/EU): dangerous for the environment.

Young people under the age of 18 are not allowed to work with the product.

All ingredients are covered by EU chemical legislation. |
| 15.2. Chemical safety assessment | A chemical safety assessment is not required to be included for this product. |

Material group	BP20101	Page 14 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

♣ SECTION 16: OTHER INFORMATION

Relevant changes in the safety data sheet	Minor corrections only.
List of abbreviations	<p>ACGIH American Conference of Governmental Industrial Hygienists</p> <p>CAS Chemical Abstracts Service</p> <p>Dir. Directive</p> <p>DNEL Derived No Effect Level</p> <p>EC European Community</p> <p>EC₅₀ 50% Effect Concentration</p> <p>EINECS European INventory of Existing Commercial Chemical Substances</p> <p>GHS Globally Harmonized classification and labelling System of chemicals, Fifth revised edition 2013</p> <p>HSE Health & Safety Executive, UK</p> <p>IBC International Bulk Chemical code</p> <p>ISO International Organisation for Standardization</p> <p>IUPAC International Union of Pure and Applied Chemistry</p> <p>LC₅₀ 50% Lethal Concentration</p> <p>LD₅₀ 50% Lethal Dose</p> <p>LOEL Lowest Observed Effect Level</p> <p>MAK Maximale Arbeitsplatz-Konzentration</p> <p>MARPOL Set of rules from the International Maritime Organisation (IMO) for prevention of sea pollution</p> <p>NOEC No Observed Effect Concentration</p> <p>n.o.s. Not otherwise specified</p> <p>OECD Organisation for Economic Cooperation and Development</p> <p>OPPTS Office of Prevention, Pesticides and Toxic Substances</p> <p>OSHA Occupational Safety and Health Administration</p> <p>PBT Persistent, Bioaccumulative, Toxic</p> <p>PEL Personal Exposure Limit</p> <p>PNEC Predicted No Effect Concentration</p> <p>Reg. Regulation</p> <p>SC Suspension Concentrate</p> <p>STOT Specific Target Organ Toxicity</p> <p>TLV Threshold Limit Value</p> <p>US EPA Environmental Protection Agency (USA)</p> <p>vPvB very Persistent, very Bioaccumulative</p> <p>WEL Workplace Exposure Limit</p> <p>WHO World Health Organisation</p>
References	Data measured on a similar product are unpublished company data. Data on ingredients are available from published literature and can be found several places.
Method for classification	Specific target organ toxicity – repeated exposure: calculation rules Hazards to the aquatic environment: read-across

Material group	BP20101	Page 15 of 15
Product name	Terrane FLUFENACET 400 g/l + DIFLUFENICAN 100 g/l SC	July 2017

Used hazard statements	H302	Harmful if swallowed.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H373	May cause damage through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH208	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
	EUH401	To avoid risks to human health and the environment, comply with the instructions of use

Advice on training This material should only be used by persons who are made aware of its hazardous properties and have been instructed in the required safety precautions.

The information provided in this safety data sheet is believed to be accurate and reliable, but uses of the product vary and situations unforeseen by FMC Corporation may exist. The user has to check the validity of the information under local circumstances.

Prepared by: FMC Corporation / Cheminova A/S / GHB